



**超精密手動壓床**  
Hyper Precision Arbor Press



**沖壓行程可調式自動沖床**  
Adjustable Electronic Press



AS9100D  
IATF 16949  
ISO 14001  
ISO 9001  
ISO/TS 22163

Patent of invention, all rights reserved 專利產品 · 仿冒必究



本目錄記載內容為了改進產品如有變更，恕不另行通知敬請見諒。  
All content contained herein is subject to change without notice.  
Thank you for your understanding.

Agent / 代理商

台北總公司：新北市新莊區民安西路405號 · Tel+886-2-2206-8899 · Fax+886-2-2208-0559  
Add No. 405, Min-an W. Rd., Sinhuang District, New Taipei City 24264, Taiwan

台中大雅廠：台中市大雅區民生路3段191巷8號 · Tel+886-4-2560-7272 · Fax+886-4-2565-2228  
Add No.8, Ln. 191, Sec. 3, Minsheng Rd., Daya Dist, Taichung City 42844, Taiwan

日本分公司 / 技術研發 · 台灣製造 / 進出口貿易 〒151-0053 東京都渋谷区代々木3丁目28番-1  
28-1, Yoyogi 3-Chome, Shibuya-ku, Tokyo, Japan  
**株式会社 PLT JAPAN** TEL: +81-3-6276-8845 FAX: +81-3-6276-6645

**超精密手動壓床**

**Hyper Precision Arbor Press**

**5 GR-334**



精密主軸結構  
Precise principal axis design



專利防呆裝置  
Patented foolproof device



專業型計數器  
Equipped with a counter device



主軸微調距離  
Precise fine tuning and securing arrangement

- FCD40球墨鑄鐵結構
- 專利防呆裝置
- 精密微調和鎖固裝置
- 精密主軸設計
- 主軸和工作台定位孔“快速同心對位”設計
- 彈性化模頭固定裝置
- 精巧機座升降調整裝置
- 穩固的底座
- 符合人體工學握把“計數器”標準配備
- FCD40 ductile cast-iron structure.
- Patented foolproof device.
- Precise fine tuning and securing arrangement.
- Precise principal axis design.
- The aligning holes for the principal axis and working table can be connected quickly.
- Flexible chuck arbor fixed device.
- Elaborate height adjustment for rising and lowering.
- Strongly built base.
- Ergonomic handle design.
- Equipped with a counter device.

# 超精密手動壓床系列 Hyper Precision Arbor Press

## 4 GR-336



4-1 主軸壓床位置  
Arbor press position



4-2 精密主軸結構  
Precise principal axis design

- FCD40球墨鑄鐵結構
- 專利防呆裝置
- 精密微調和鎖固裝置
- 精密主軸設計

## 3 GR-335



3-1 精密主軸結構  
Precise principal axis design




3-2 主軸微調距離  
Precise fine tuning and securing arrangement



3-3 專利防呆裝置  
Patented foolproof device

- 主軸和工作台定位孔
- “快速同心對位”設計
- 彈性化模頭固定裝置
- 精巧機座升降調整裝置
- 穩固的底座
- 符合人體工學握把
- “計數器”標準配備

## 2 GR-338



2-1 主軸微調距離  
Precise fine tuning and securing arrangement



2-2 精密主軸結構  
Precise principal axis design



2-3 配備位置顯示器  
Equipped with a position indicator

- FCD40 ductile cast-iron structure.
- Foolproof device patented
- Precise fine tuning and securing arrangement
- Precise principal axis design
- The aligning holes for the principal axis and working table can be connected quickly
- Flexible chuck arbor fixed device
- Elaborate height adjustment for rising and lowering
- Strongly built base
- Ergonomic handle design
- Equipped with a counter device

# 沖壓行程可調式自動沖床


## Adjustable Electronic Press

### 1 GR-361

**超靜音**  
UltraQuiet

- 專利行程可調結構
- 模頭套筒可依尺寸更換
- 寬廣的調整範圍
- 傳動使用電磁離合器靜音高扭力
- 外掛式安全電眼(需選購)
- 多功能安全電路設計
- 安全啟動裝置(需選購)

- Patented adjustable travel.
- The sizes of chuck arbor and sleeve can be changed.
- Wide adjustable range.
- Driven by electromagnetic clutch with silent and high torque.
- Plug-in electric eye safety(optional).
- Multi-function safety circuit design.
- Safety trigger device (optional).



1-1 專利行程可調結構  
Patented adjustable stroke structure




1-2 安全啟動裝置(需選購)  
Safety start device (optional)



1-3 外掛式安全電眼(需選購)  
Plug-in electric eye safety (optional)



1-4 模頭套筒可依尺寸更換  
The size of chuck arbor and sleeve can be changed



1-5 寬廣的調整範圍  
Wide range of adjustment



1-6 傳動使用電磁離合器  
Transmission using electromagnetic clutch

注意：部分配件為選購，購買時請以實機為主